
gron Documentation

Release 1.3.0

Bastian Venthur

Nov 11, 2022

Contents:

1 API Reference	1
1.1 API	1
2 Indices and tables	3
Python Module Index	5
Index	7

CHAPTER 1

API Reference

1.1 API

1.1.1 gron

All imports here are unused in this module but exported as public interface.

`gron.gron(input_: str) → str`
Transform JSON into parseable str.

This method takes a JSON string and transforms it into a grepable equivalent form.

Parameters `input` – JSON

Returns Transformed output

Return type str

1.1.2 gron.gron

Gron's core functions.

`gron.gron.convert(name: str) → str`
Convert path name into valid JSON.

Parameters `name` – a path name

Returns valid JSON path

Return type str

`gron.gron.gron(input_: str) → str`
Transform JSON into parseable str.

This method takes a JSON string and transforms it into a grepable equivalent form.

Parameters `input` – JSON

Returns Transformed output

Return type str

gron.gron.walk (node: Any, name: str) → str

Translate Python element to JSON.

This method recursively visits each element of a Python object and returns the JSON representation.

Parameters

- **node** – A python object (e.g. dict, list, int, etc)
- **name** – The name (i.e. path) of the parent element

Returns Transformed JSON for this element

Return type str

1.1.3 gron.__main__

Gron's command line interface (CLI).

gron.__main__.parser

Type argparse.ArgumentParser

gron.__main__.main () → None

Gron's CLI

This method reads the arguments for the command line interface and runs *gron*.

1.1.4 gron.version

This module provides gron's version.

CHAPTER 2

Indices and tables

- genindex
- modindex
- search

Python Module Index

g

`gron`, [1](#)
`gron.__main__`, [2](#)
`gron.gron`, [1](#)
`gron.version`, [2](#)

Index

C

convert () (*in module* `gron.gron`), 1

G

gron (*module*), 1

gron () (*in module* `gron`), 1

gron () (*in module* `gron.gron`), 1

gron.__main__ (*module*), 2

gron.gron (*module*), 1

gron.version (*module*), 2

M

main () (*in module* `gron.__main__`), 2

P

parser (*in module* `gron.__main__`), 2

W

walk () (*in module* `gron.gron`), 2